

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION  
International Bureau



257


INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification <sup>6</sup> : A61M 16/04	A1	(11) International Publication Number: WO 99/06093 (43) International Publication Date: 11 February 1999 (11.02.99)
<p>(21) International Application Number: PCT/GB98/02158</p> <p>(22) International Filing Date: 31 July 1998 (31.07.98)</p> <p>(30) Priority Data: 9716287.9 2 August 1997 (02.08.97) GB</p> <p>(71)(72) Applicant and Inventor: NIMMO, Garry, Hamilton [AU/GB]; Twyford Barn Farmhouse, Twyford, Banbury, Oxon. OX17 3JR (GB).</p> <p>(74) Agent: STANLEY, Michael, Gordon; P.O. Box 270, Banbury, Oxon. OX15 6YL (GB).</p>	<p>(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).</p> <p>Published With international search report.</p>	

(54) Title: APPARATUS FOR SHAPING A LARYNGEAL MASK

(57) Abstract

Apparatus for shaping the deflated profile of a laryngeal mask (10) and which comprises a body (20) having a cavity (21) therein, the mouth (22) of the cavity (21) being shaped to accommodate the elliptical outline of an inflated mask in an inverted condition, and having sufficient depth (d) to accommodate the inverted mask and air tube. The sides (26-31) of the cavity preferably incline inwardly. If an inverted mask is deflated and simultaneously pushed downwards into the cavity an optimized shape for the deflated mask is achieved.



*FOR THE PURPOSES OF INFORMATION ONLY*

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Larvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

Apparatus for shaping a Laryngeal MaskField

This invention relates to apparatus for shaping laryngeal masks.

5

Background

A laryngeal mask is an artificial airway that facilitates lung ventilation in an anaesthetized patient. A known laryngeal mask is described in British Patent 211 394B and comprises a curved flexible tube with a mask portion carried at one end of the tube. The mask portion has an elliptical base with an opening connected to the tube and which is surrounded by a peripheral inflatable annular collar or cuff. The device is capable of conforming to and fitting readily within the space behind the larynx and the tube opening through the base provides an airway.

10

15

20

Once the peripheral collar has been inflated the tube establishes an exclusive passageway to the patient's trachea.

25

Such devices have been successful in use. Insertion of the device has been found to be relatively easy, but not without problems. In use the mask portion is passed, in a deflated condition, through the patient's mouth into the pharynx, and engages at the upper oesophageal sphincter. Subsequent inflation then causes the collar to establish a

desired seal to the laryngeal inlet.

A problem arises from the fact that an unskilled or careless user of the laryngeal mask may not be able to achieve a correctly collapsed shape of the deflated collar making insertion of the mask more difficult.

In order to overcome this problem it has been proposed in GB-A-2285 765 to provide a tool which forms the collar of the mask into a predetermined deflated configuration. The deflated configuration shown in GB-A-2285 765 is one in which the collar is a smooth continuous upwardly flared configuration. However this is not a perfect shape that fits naturally to the anatomical pathways in that the distal end of the cuff projects out of the smooth curve of the tube and base.

The present invention provides an apparatus for shaping a laryngeal mask to a shape more suited for insertion into the patient's larynx. The term "patient" may also include animals, where laryngeal masks are used in veterinary procedures.

#### Statements of Invention

According to the invention there is provided apparatus for shaping the deflated profile of a laryngeal mask and which comprises a body having a cavity therein, the mouth of the cavity being shaped to accommodate the elliptical outline

of an inflated mask in an inverted condition, and the cavity having sufficient depth to accommodate the inverted mask and air tube. By "inverted" is meant a laryngeal mask with the opening in the base directed upwards with the tube  
5 located below the base.

Preferably the sidewalls of the cavity are inclined inwardly of the cavity. This gives a more consistent deflated mask shape than, say, if the walls were vertical.

10 It also allows for a single apparatus to be utilised for more than one size of laryngeal mask.

Preferably the body of the apparatus is made from a block of resilient material e.g. an elastomeric material such as  
15 silicone rubber, a semi-rigid foam such as polyurethane or polyethylene foam. Alternatively the apparatus may be moulded, preferably by injection moulding or vacuum forming from a glass reinforced polyester resin (GRP) or may be  
20 moulded from a thermoplastic material such as high or low density polyethylene, polypropylene, or a mixture thereof, from polycarbonate, or ABS (acrylonitrile butadiene styrene).

Preferably the upper sidewalls adjacent the mouth of the  
25 cavity are chamfered, the chamfered portion may form a continuous edge margin around the periphery of the cavity and is inclined inwardly at an angle of between 20-45 degrees, preferably about 30 degrees. In use the chamfered

edges support an inflated cuff of a larger size mask, and the mask base fits within the mouth of the cavity.

5 The preferred shape of cavity is substantially hexagonal in plan view, preferably an irregular hexagon, with more preferably one end of the cavity connected to a slot open to the periphery of the body and which accommodates the tube. The base of the slot may be inclined downwardly to accommodate the tube, especially if the apparatus is formed  
10 from a more rigid material such as GRP, or polycarbonate.

The inwardly inclined sidewalls of the cavity help shape a deflating cuff as the mask is pressed lightly into the cavity and the corners of the hexagon also provide some  
15 assistance in the deflation and shaping process.

#### Description of Drawings

The invention will be described by way of example and with  
20 reference to the accompanying drawings in which:

- Fig. 1 is a side elevation of a known laryngeal mask in an inverted condition,
- Fig. 2 is an isometric view of a prior art deflated condition for a laryngeal mask,
- 25 Fig. 3 is an isometric view of a laryngeal mask deflated in apparatus according to the present invention,
- Fig. 4 is a plan view of apparatus according to the

present invention,

Fig. 5 is a section on the line V-V in Fig.4, and

Fig. 6 is a section on the line VI-VI in Fig.4.

5 Detailed Description of the Invention

With reference to Fig.1 there is shown a prior art laryngeal mask 10 in an inverted condition, comprising a flexible airway tube 11 and a mask 12. Both the mask 12 and tube 11 are formed from a silicone rubber material. The mask 12 includes an inflatable cuff or collar 13 around its periphery. The tube 11 is connected to a hollow boss 14 in the back of the mask base 15 and opens into the face of the mask 12.

15

The inflatable cuff 13 is connected by a second smaller tube 16 to a pump device 17 for inflation and deflation of the cuff 13. A suitable pump device would be a syringe.

20

With reference to Fig. 2 there is shown a laryngeal mask 10 in which the cuff 13 has been deflated in a known manner. It can be seen that the cuff is flared (upwardly as shown) in the direction of the base 15 so that the tube 11, boss 14 and cuff 13, when deflated, do not form a smooth curve since the distal end 18 of the cuff 13 projects upwardly (as shown) of the curve.

25

By use of the apparatus shown in the Figs. 4 to 6, it is

possible to reliably and repeatedly deflate the laryngeal mask 10 to the shape shown in Fig. 3 in which the deflated cuff 13 is flared (downwardly as shown) away from the base 15. The distal end 18 of the cuff is now substantially in line with the smooth curve of the tube 11, boss 14, and deflated cuff 13. This is a more natural shape for placement on the hard palate and therefore for insertion into the throat and larynx of a patient, as defined previously.

The apparatus shown in Figs. 4 to 6 comprises a body 20 in the form of a rectangular block, although other shapes could be used. In one embodiment, the body 20 is formed from cast silicone rubber, although a semi-rigid polyurethane rubber or semi-rigid foam may also be suitable. The body could also be shaped from a block of foam such as polyethylene or polypropylene foam.

The body 20 is formed with a cavity 21 therein which in plan view, as shown in Fig. 4, has a mouth 22 substantially in the form of a hexagon, typically an irregular hexagon having slightly larger sides at its distal end and smaller sides adjacent slot 23 which accommodates the tube. The cavity 21 has a sufficient depth "d" of about 4.5 cms. that it can accommodate an inverted laryngeal mask 10 with the cuff or collar 13 nestled in the mouth of the cavity 21. The slot 23 extends through the body 20 from one end of the hexagonal shaped cavity 21 to provide a through passageway



for the flexible tubes 11 and 16.

5 The fixed sized cavity 21 can only accommodate a particular range of sizes of laryngeal mask. One size of cavity may accommodate nos. 3, 4 and 5 masks, whereas a second smaller size of cavity would accommodate the smaller nos. 1, 2 and 2.5 sizes of mask. In order to accommodate a larger size of mask e.g. a no. 5 mask, a chamfered edge margin 24 extends around the periphery of the mouth of the cavity.

10 The edge margin 24 will be about 8 to 12 mm. in width, preferably 10 mm., and the chamfer is inclined inwardly of the cavity at an angle "A" of between 20 to 45 degrees, preferably 25 to 30 degrees.

15 For a larger size apparatus for the group of larger sized masks, the cavity 21 is approximately 5 cms. in width "W" at its mouth, and a length "L" of about 9cms..

20 The slot 23 has a flat bottom 34 that extends into the cavity 21 forming a flat base 25 in the centre of the cavity. The cavity sidewalls 26, 27, 28, 29, 30, 31, extend downwardly from the hexagonal mouth of the cavity 21 towards the base 25, so that the sidewalls 26 to 31 are inclined inwardly to provide a cavity of progressively

25 decreasing cross-sectional area as its depth increases.

In use, an inflated inverted laryngeal mask 10 is placed in the mouth of the cavity 21 with its base 15 actually in the

cavity. For a size 4 and size 5 mask the inflated cuff 13 may rest on the chamfered edge margin 24. The cuff 13 is then deflated and simultaneously a light load is placed on the base 15 by the finger(s) of the operative to slowly push the mask 10 into the cavity 21 whose depth d is sufficient to accommodate this movement. The inclined sidewalls 26 - 31 cause the cuff to move upwardly in the cavity and take up the configuration shown in Fig. 3. The corners of the hexagon may cause the deflated cuff 13 to buckle in a predictable manner so that in the deflated condition ribs 33 of excess material locate in alignment with the corners of the hexagonal mouth.

It has been found that this buckling is not detrimental to the use of the shaped deflated mask.

The resilience of the material from which the body is made also helps force the deflated cuff 13 into the desired configuration.

A smaller size apparatus will be necessary for the group including 1, 2 and 2.5 sizes of mask. The mouth of the hexagonal cavity should have a length of about 5cms (2") and a width of about 3.75cms (1.5") with a chamfered edge margin of about 7-10mm.

The body 20 could also be moulded by vacuum forming

techniques so that instead of comprising a block of material with a cavity therein, it could be formed as a thin-walled hollow moulding with a cavity formed therein. If the material forming the body is relatively rigid, e.g. glass reinforced polyester resin (GRP) or polycarbonate, it may be necessary to provide the slot 23 with an inclined semi-circular bottom 35 to accommodate the boss 14 and tube 11. This may be inclined at an angle of between 10 and 15 degrees to a depth d2 of 1.5 to 2.0 cms at the outside of the block.

The body 20 may also be formed as a composite of several components which are secured together to form a thin-walled body having the required cavity shape, and supported in a surrounding surface or block.

Claims

1. Apparatus for shaping the deflated profile of a laryngeal mask and which comprises a body having a cavity therein, the mouth of the cavity being shaped to  
5 accommodate the elliptical outline of an inflated mask in an inverted condition, and the cavity having sufficient depth to accommodate the inverted mask and air tube.
2. Apparatus as claimed in Claim 1 wherein the sidewalls of  
10 the cavity are inclined inwardly of the cavity.
3. Apparatus as claimed in claim 1 or Claim 2 wherein the body is made from a resilient polymeric material.
- 15 4. Apparatus as claimed in Claim 3 wherein the body is made from one of a silicone rubber, a semi-rigid foam, or a thermoplastics material.
- 20 5. Apparatus as claimed in any one of Claims 1 to 3 wherein the upper sidewall of the cavity are chamfered and said chamfered portion forms a continuous edge margin around the periphery of the cavity.
- 25 6. Apparatus as claimed in Claim 5, wherein the edge margin is inwardly inclined at an angle of between 20-45 degrees to the horizontal.
7. Apparatus as claimed in Claim 5 or Claim 6 wherein the

edge margin has a width of between 8mm and 13mm (3/8ths and 1/2 of one inch)

5 8. Apparatus as claimed in any one of Claims 1 to 7 wherein the cavity is substantially hexagonal in plan view with one end of the cavity connected by a slot open the outside of the body and which provides a passageway for the tube.




10 9. Apparatus as claimed in Claim 8 in which the hexagon is an irregular hexagon having longer sides in use adjacent the distal end of the mask and shorter sides in use adjacent the slot.

15 10. Apparatus as claimed in Claim 8 and Claim 9 wherein the sidewalls of the cavity incline inwardly from the mouth of the cavity to intersect with a horizontal planar surface which opens into the base of the slot.

20 11. Apparatus as claimed in any one of Claims 8 to 10 wherein the base of the slot is inclined downwards to accommodate the boss and tube on the back face of the mask.



25 12. Apparatus for shaping a laryngeal mask and which is substantially as described herein with reference to the accompanying drawings.

**1/3**





3/3

**Fig. 5****Fig. 6**



# INTERNATIONAL SEARCH REPORT

International Application No

PCT/GB 98/02158

## A. CLASSIFICATION OF SUBJECT MATTER

IPC 6 A61M16/04

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 A61M

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	GB 2 285 765 A (BRAIN ARCHIBALD IAN JEREMY) 26 July 1995 cited in the application see abstract; figure 1 see page 4, line 17 - page 9, line 16 ---	1
A	US 5 305 743 A (BRAIN ARCHIBALD I J) 26 April 1994 see abstract; figures see column 4, line 16 - column 6, line 54 -----	1

☐ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

### \* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

6 November 1998

Date of mailing of the international search report

16/11/1998

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: (+31-70) 340-3016

Authorized officer

Zeinstra, H

# INTERNATIONAL SEARCH REPORT

International application No.

PCT/GB 98/ 02158

## Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☐ Claims Nos.:  
because they relate to subject matter not required to be searched by this Authority, namely:
  
2. ☒ Claims Nos.: 12  
because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:  
Rule 6.2.a PCT
  
3. ☐ Claims Nos.:  
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

## Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

1. ☐ As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
  
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
  
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
  
4. ☐ No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

Remark on Protest

- ☐ The additional search fees were accompanied by the applicant's protest.
- ☐ No protest accompanied the payment of additional search fees.

# INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/GB 98/02158

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
GB 2285765 A	26-07-1995	US 5711293 A	27-01-1998
US 5305743 A	26-04-1994	MX 9301163 A	29-07-1994
		US 5391248 A	21-02-1995